

## CORPORATE IDENTITY MANUAL

VERSION 3.0
APRIL 2024



# **CONTENTS**

Logo design	01
Logo application	12
Colours	21
Fonts	25
Photography style	27
Assets	29
Positioning	33
Stationery	37
Slide deck	45
Portable display	52
A4 double-page spread	55
Brochure	57
Website	63

VERSION 3.0

This is the official logo for the IRBA as designated by the IRBA Board. No other version or variation of this logo for the representation of the IRBA is permitted.

The logo is always applied in full colour as presented here (unless specified otherwise in this manual). The full colour logo is only ever displayed on a white background.



IRBA CORPORATE IDENTITY MANUAL

This is the official logo for the RA designation as designated by the IRBA Board. No other version or variation of this logo for the representation of RA is permitted.

The logo is always applied in full colour as presented here (unless specified otherwise in this manual). The full colour logo is only ever displayed on a white background.



LOGO COMPONENTS



Logotype



**Tittle** 



**Tagline** 



Separators



Logotype




**Tittle** 

**LOGO DESIGN** RATIO CONSTRUCTION













IRBA CORPORATE IDENTITY MANUAL

VERSION 3.0
APRIL 2024









The area of isolation is a distance of precisely 2x around all four edges of the logo. No object, image or item of any kind is ever to appear in the area of isolation. The area of isolation will always be the exact same colour as the colour displayed behind the logo.

When the logo is applied in full colour or solid black the background is always white. When the logo is applied in solid black reverse, the background is always solid black.





The area of isolation is a distance of precisely 2x around all four edges of the logo. No object, image or item of any kind is ever to appear in the area of isolation. The area of isolation will always be the exact same colour as the colour displayed behind the logo.

When the logo is applied in full colour or solid black the background is always white. When the logo is applied in solid black reverse, the background is always solid black.



IRBA CORPORATE IDENTITY MANUAL **VERSION 3.0**  LOGO APPLICATION ALTERNATE DISPLAYS

If the logo needs to be applied in FULL COLOUR REVERSE, the background is always 100% IRBA Purple. The logotype and tagline are displayed as solid white. The tittle and separators remain 100% IRBA Orange.



**FULL COLOUR** 



FULL COLOUR REVERSE

In rare circumstances, the logo may need to be displayed in greyscale (C0 M60 Y100 K100) but this should be avoided unless there is absolutely no other option. IRBA Purple is replaced by 80% black (C0 M0 Y100 K80) and IRBA Orange is replaced by 40% black (C0 M0 Y100 K40)

When the logo is applied in GREYSCALE the background is always white. When the logo is applied in GREYSCALE REVERSE the background is always 80% black (C0 M0 Y100 K80). The tittle and separators remain 40% black (C0 M0 Y100 K40).



**GREYSCALE** 



**GREYSCALE REVERSE** 

In rare circumstances, the logo may need to be displayed in solid black (C0 M0 Y0 K100) but this should be avoided unless there is absolutely no other option.

When the logo is applied in solid black the background is always white or 100% solid black as presented here in SOLID BLACK STANDARD and SOLID BLACK REVERSE



SOLID BLACK



SOLID BLACK REVERSE

LOGO APPLICATION ALTERNATE DISPLAYS

If the logo needs to be applied in FULL COLOUR REVERSE, the background is always 100% IRBA Orange. The logotype is displayed as solid white. The tittle becomes 100% IRBA Purple.



**FULL COLOUR** 



FULL COLOUR REVERSE

In rare circumstances, the logo may need to be displayed in greyscale (CO M60 Y100 K100) but this should be avoided unless there is absolutely no other option. IRBA Purple is replaced by 80% black (CO M0 Y100 K80) and IRBA Orange is replaced by 40% black (CO M0 Y100 K40)

When the logo is applied in GREYSCALE the background is always white. When the logo is applied in GREYSCALE REVERSE the background is always 80% black (CO MO Y100 K80). The tittle remains 40% black (CO MO Y100 K40).



**GREYSCALE** 



**GREYSCALE REVERSE** 

In rare circumstances, the logo may need to be displayed in solid black (CO MO YO K100) but this should be avoided unless there is absolutely no other option.

When the logo is applied in solid black the background is always white or 100% solid black as presented here in SOLID BLACK STANDARD and SOLID BLACK REVERSE.



SOLID BLACK




SOLID BLACK REVERSE

IRBA CORPORATE IDENTITY MANUAL

In rare circumstances, the logo may need to be displayed on an image, particularly in social media applications where space is limited. The logo has been designed in such a way that it can accommodate this scenario. However, this type of application will require creative discretion and approval by IRBA's brand management.


When displaying the logo on an image, the tagline and separators always removed. The logo is always reversed out in solid white.








Never allow the logo to obscure faces, numbers, text, other vector shapes or the focal point of an image. Never place the logo over another logo that may be featured in the image.





2





4

IRBA CORPORATE IDENTITY MANUAL

LOGO APPLICATION REVERSE DISPLAY ON IMAGE





2

- 1 2 Never display the tagline and separators with the logo on an image. Legibility is compromised.
- Never display the tittle as orange on an image. The logo is always completely white when displayed over an image.





3)

4



The reversed logo can be displayed as solid white on any of the secondary or accent colours, but without the tagline and separators. This type of application is ideal for continuation pages or outdoor portable display, but not as the primary or official display of the brand.

Note that the reversed logo is never displayed on IRBA Orange as this colour is reserved for idendification with the RA brand.





















These examples are incorrect applications of the reversed logo on the secondary and accent colours. The tittle cannot be displayed as IRBA Orange and the tagline and separators cannot be displayed with the logo in these applications.





















The logo is never applied in any colour or combination of colours other than the corporate colours and only in the designated combination of the corporate colours.





The logo is never outlined.





The corporate colours of the logo are not allowed to be alternated.





The logos are never applied entirely as a solid in any colour, including the primary and secondary corporate colours. An exception is only allowed in









Drop shadows, 3d effects, lens flares, bevels, embosses, outer glows, inner glows, gradient filters, fish eye filters or any other effects are not permitted on the logos. The logo is only displayed in the solid corporate colours on a solid white background or as specified in this manual.





The logo is never distorted vertically or horizontally. The tittle and logotype must always remain in a 4:1 ratio.









the rare instance when the logos

need to be solid black.

LOGO APPLICATION DON'TS



The logo is never displayed at any angle other than level.



The tagline and seperators are never postioned above or to the side of the logo.









The logo is never displayed in full colour on a black background.



The logo is never displayed as a watermark or tinted shade of any colour whatsoever.









The solid black variant of the logo is never displayed on any other colour (inlcuding corporate colours) other than solid white.



The logo is never filled with a gradient.





#### PRIMARY



#### **IRBA PURPLE**

C 40 M 100 Y 15 K 30 R 130 G 18 B 91 HEX #82125B PANTONE 2425C



#### **IRBA ORANGE**

C 10 M 80 Y 100 K 0 R 217 G 77 B 21 HEX #D94D15 PANTONE 7580C

#### SECONDARY



R 250 G 193 B 134 HEX #FAC186 PANTONE 719C

#### **IRBA TAN**

C 15 M 50 Y 70 K 0 R 218 G 143 B 87 HEX #DA8F57 PANTONE 7517C



#### **IRBA BLUSH**

C 18 M 58 Y 37 K 5 R 203 G 126 B 131 HEX #CB7E83 PANTONE 694C



#### **IRBA PLUM**

C 45 M 65 Y 25 K 15 R 142 G 96 B 128 HEX #8E6080 PANTONE 5145C



#### IRBA DEEP PURPLE

C 70 M 80 Y 30 K 30 R 85 G 57 B 95 HEX #55395F PANTONE 7447C

#### ACCENT



#### **IRBA STONE BLUE**

C 65 M 35 Y 15 K 0 R 100 G 146 B 185 HEX #6492B9 PANTONE 645C



#### **IRBA BLUE**

C 85 M 46 Y 15 K 0 R 26 G 118 B 171 HEX #1A76AB PANTONE 660C



#### **IRBA TEAL**

C 100 M 20 Y 40 K 0 R 0 G 136 B 153 HEX #008899 PANTONE 7712C



#### **IRBA GREEN**

C 55 M O Y 65 K O R 130 G 193 B 122 HEX #82C17A PANTONE 557C



#### IRBA LIME GREEN

C 30 M 0 Y 85 K 0 R 199 G 213 B 64 HEX #C7D540 PANTONE 583C



### **PRIMARY**

The primary colours are drawn directly from the logo. These are also the only two colurs that appear in the full colour logo.

IRBA Purple must always be the dominant colour. Tints of the primary colours are not allowed.

#### **SECONDARY**

This palette should predominantly be used to blend with the primary colours. Preferably, secondary colours should not be used in isolation of the primary colours. However, creative discretion should be applied in conjunction with IRBA's brand management in the event of wanting to use secondary colours in isolation.


Ideal applications of the secondary colours can be for sub-headings, pull quotes, tables, data visualisation, icons, supplementary branded collateral and corporate clothing. Subtle tints of these colours are allowed with creative discretion.

#### **ACCENT**

The accent colours should be used to add dimension to the visual body of collateral. The accent colours purposefully compete with the primary colours. Preferably, accent colours should not be used in isolation of the primary and secondary colours. However, creative discretion should be applied in conjunction with IRBA's brand management in the event of wanting to use secondary colours in isolation.

Ideal applications of the accent colours can be for data visualisation, icons and supplementary branded collateral. Subtle tints of these colours are allowed with creative discretion.

IRBA CORPORATE IDENTITY MANUAL



The graphic displayed here is a guide for the for the colour hierarchy from left to right. Although percentages have been allocated here, these are merely a guide. The full spectrum indicates a hypothetical scenario of all colours being used in one field of reference. Understandably, this is unlikely to ever take place. However, with reasonable creative discretion, secondary and/or accent colours can never overpower the primary colours palette.

IRBA CORPORATE IDENTITY MANUAL

As the visual identity matures and the body of visual collateral grows, combinations of colours, usually in twos, become an effective asset. These combinations can be defined as colour twins. The twins comprise a darker and lighter shade of a similar colour.

The application of colour twins is particularly effective in data visualisation, highlight boxes, banners and patterns.



The typefaces that constitute the **BrutalTypeW00** font are designated as the primary font. The primary font should preferably be used for titles, headlines, headings and sub-headings. The primary font must not be used for body copy.

Although only four typefaces are displayed here, any weight of  ${\bf BrutalTypeW00}$  is permitted.

## **BRUTALTYPEW00-BLACK REGULAR**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0123456789!?@#\$%^&\*[]

## **BRUTALTYPEW00-BOLD REGULAR**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0 1 2 3 4 5 6 7 8 9 ! ? @ # \$ % ^ & \* ( )

## **BRUTALTYPEW00-REGULAR REGULAR**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0123456789!?@#\$%^&\*[]

## **BRUTALTYPEWOO-LIGHT REGULAR**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0123456789!?@#\$%^&\*[]

The typefaces that constitute the **Gotham** font are designated as the secondary font. The secondary font can be used in all applications. The secondary font must always be used for body copy.

Although on four typefaces are displayed here, any weight of  ${\bf Gotham}$  is permitted.

## **GOTHAM BOLD**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0 1 2 3 4 5 6 7 8 9!? @ # \$ % ^ & \* ( )

## **GOTHAM BOLD ITALIC**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0123456789!?@#\$%^&\*()

## **GOTHAM LIGHT**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0123456789!?@#\$%^&\*()

## **GOTHAM LIGHT ITALIC**

THE QUICK BROWN FOX JUMPS OVER THE LAZY DOG The quick brown fox jumps over the lazy dog 0123456789!?@#\$%^&\*() PHOTOGRAPHY STYLE COSMETIC

In various instances, designs will require a selection of photographs that contribute to the overall aesthetic of the visual identity. These images would neither be descriptive, related to narrative or of people and events. They are therefore classified as cosmetic.

The subject matter for cosmetic imagery is flora. This can include flowers, plants, leaves, grass and trees. This theme universally represents renewal and is suitable for the launch of IRBA's new visual identity. Images of flora are also neutral and reinforce the IRBA's position of objectivity. Cosmetic images are ideal for backgrounds or to form textures. Preference should be given to interesting compositions, depth of field, close-ups, tight crops or unusual angles.

In selecting cosmetic images of flora for use in the IRBA visual identity, certain guidelines must be followed:

- All depictions of flora must be in bloom, green or fully alive. Imagery of dead, dying or burning flora is not permitted.
- 2 Images must be of completely natural settings. Images may not be:
  - Digitally enhanced
  - Display special effects
  - Composites
  - Bouquets or any other human generated arrangement like a garden
  - 3d renderings or composites thereof
  - Artificial elements such as superimposed backgrounds, water or skylines.
- No depictions of fauna, people or any manmade structure in cosmetic images.

Note that these rules would not apply to images required for narrative and descriptive purposes.



Portulacaria afra (elephant bush)



Barberry shrub



Red water lily



Blood lily



Pink and white cosmos



White water lily



Fir trees



Protea



Jacaranda

People images must be in a modern, corporate environment. The subjects must appear professional, reliable and highly skilled with a balanced depiction of age, gender or race.

Where the target audience is university students or young professionals, images of young adults learning in a formal environment must be used. These should be persons between the ages of 21 and 30. And where the message is for regulation purposes, more experienced looking professionals must be the used and should include people between the ages of 30 and 50 operating in an office or boardroom setting.

The use of people images gives the organisation a personality and makes the viewer connect with it. Therefore, the environment must be one of a positive atmosphere and should evoke a feeling that the organisation has integrity, is fair, competent and trustworthy.

In selecting people images for use in the IRBA visual identity, certain guidelines must be followed:

- 1 Images must:
  - Be in a professional setting, with a clean and modern background.
  - Depictions of people must align with the country's demographic and must display diversity.
  - Dress code must be modern formal and clean
  - Group images to include no more than 5 people in focus.
- 2 Images may not be of:
  - 3d renderings or composites thereof
  - Social scenes (families, groups or individuals at recreational events).
  - Fauna
  - Minors
  - Groups or individuals in recreational environments/events

Note that these rules would not apply to images required for narrative and descriptive purposes.



Interns or young professionals in training



Development programme in session



Young professional at work



Positive, warm atmosphere



Confident, reliable and professional



Young professional at work



Diverse group in discussion



Diverse group of professionals meeting





Expert guiding client/junior

The IRBA Curve is inspired the design of IRBA's logo. Bending without yielding, in curves there is more strength as there is in a straight line. The visual identity will find subtle ways to demonstrate this.


In this application, the IRBA curve is applied to square shapes.


- Square shapes will also be a feature of the visual identity as they are drawn from the tittle in the logo.
- To calculate the radius of the curve, divide the square into quarters vertically and horizontally. This will create 4 x 4 (16) squares within the square. A circle is then drawn in the most bottom right square. The diameter of the circle is equivalent to the width or height of the most bottom right square. The diameter is also equal to 1/4 the height or width of the larger initial square.
- 3 Divide the circle into four quarters. The bottom right quarter defines the curve to be cut from the initial square.
- This shape can now be treated as an asset of the visual identity. Uses could include icons, pagination, patterns, photo frames or holding elements, Usage is not compulsory.

















This display demonstrates the positioning of the IRBA logo on a portrait orientation. The logo is always positioned bottom left or top left. This application is ideal for all the A-sizes in portrait which would include report covers and posters.





**BOTTOM LEFT DISPLAY** 

TOP LEFT DISPLAY


In preparation of a portrait size artwork, begin with calculating the page margin. The page margin is 1/33 of the height of the page. The margin runs along all four edges of the page.

Then place the IRBA logo. The height of the logo is 2/33 of the height of the page.

In the bottom left display, the base of the logo rests on the bottom page margin and is always left aligned against the left hand page margin.

In the top left display, the top of the logo rests on the top page margin and is always left aligned against the left hand page margin.

The distance between the top of the logo and the artwork zone is equivalent to the page margin (or 1/33). The branding zone comprises the sum of this area with the logo height and bottom page margin (i.e. 4/33). The background of the branding zone is always solid white or 100% IRBA Purple in the event of using the reverse full colour option of the logo.



**BOTTOM LEFT DISPLAY** 

TOP LEFT DISPLAY

BOTTOM LEFT DISPLAY



This display demonstrates the positioning of the IRBA logo on a landscape orientation. The logo is always positioned bottom left or top left. This application is ideal for mailers, print advertisements, web banners and screen displays.

Note that although slide decks are a landscape orientation, there are specific guidelines for slide decks in this manual.

100





In preparation of a landscape size artwork, begin with calculating the page margin. The page margin is 1/24 of the height of the page. The margin runs along all four edges of the page.


Then place the IRBA logo. The height of the logo is 1/12 of the height of the page.

In the bottom left display, the base of the logo rests on the bottom page margin and is always left aligned against the left hand page margin.

In the top left display, the top of the logo rests on the top page margin and is always left aligned against the left hand page margin.

The distance between the top of the logo and the artwork zone is equivalent to the page margin (or 1/24). The branding zone comprises the sum of this area with the logo height and bottom page margin (i.e 1/6). The background of the branding zone is always solid white or 100% IRBA Purple in the event of using the reverse full colour option of the logo.

In the event of a square size orientation, the landscape grid takes preference.





This is the full colour display of the front side of the IRBA business card. The IRBA business card is a size of 100mm wide by 50mm high.



IRBA CORPORATE IDENTITY MANUAL


The IRBA business card is a size of 100mm wide by 50mm high. A margin of clear space at a size 3mm must be applied on all sides.

Gotham Bold; Size: 7pt; Leading: 8.4pt Colour: 100% White

**2** Gotham Medium; Size: 6pt; Leading: 7pt Colour: 100% IRBA Orange

Gotham Medium and Book; Size: 6pt; Leading: 8pt Colour: 100% IRBA Orange and 100% White

Gotham Bold; Size: 7pt; Leading: 8.4pt Colour: 100% White



The back of the business card can be displayed in any one of these designs that feature the IRBA patterns. It is intended for personnel to choose which of these designs they prefer.










This is the full colour display of the IRBA letterhead.



IRBA CORPORATE IDENTITY MANUAL

The IRBA letterhard is an A4 size. A margin of clear space at a size 9mm (or 1/33 of page height) must be applied on all sides.

Gotham Bold; Size: 8pt; Leading: 9.6pt Colour: 100% IRBA Purple


Bullet point; Size: 0.74mm x 0.74mm, Colour: 100% IRBA Orange, 1.2pts above baseline

3 Double space

Gotham Book; Size: 7pt; Leading: 9pt Colour: 100% IRBA Orange

Gotham Light; Size: 7pt; Leading: 9pt Colour: 100% IRBA Purple

Gotham Book Italic; Size: 7pt; Leading: 8.4pt Colour: 100% IRBA Orange





**AGENDA** 

76TH MEETING OF THE GOALS COMMITTEE (GOCOM)

TO BE HELD AT THE INDEPENDENT REGULATORY BOARD FOR AUDITORS' (IRBA) OFFICES

IN GREENSTONE ON WEDNESDAY, 16 NOVEMBER 2030, FROM 09H00 TO 16H00

- 1. Welcome
- 2. Attendance
- 3. Declarations of Interest
- 4. Closure of the Agenda

The Independent Regulatory Board for Auditors (IRBA) is both the audit regulator and national audit and ethics standard setter in South Africa. Its statutory objectives include the protection of the public by regulating audits performed by registered auditors, as well as the promotion of investment and, ultimately, employment in the republic.

We appreciate this opportunity to comment on the ISSB's Request for Information 2023, Consultation on Agenda Priorities (the Consultation).

Our response has been prepared taking into account views from the Committee for Auditing Standards' (CFAS) Sustainability Standing Committee.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Mauris commodo quis imperdiet massa tincidunt nunc pulvinar sapien. Uma et pharetra pharetra massa massa uttricies mi quis. Nibh tellus molestie nunc non blandit massa. Ipsum faucibus vitae aliquet nec. Est placerat in egestas erat imperdiet sed euismod nisi. Id cursus metus aliquam eleifend mi in nulla posuere sollicitudin. Tortor at auctor uma nunc id cursus metus. In hac habitasse platea dictumst. Tristique magna sit amet purus gravida quis.

Tempor id eu nist nunc mi ipsum faucibus vitae. Massa vitae tortor condimentum lacinia quis vel eros. Turpis massa tincidunt dui ut. In iaculis nunc sed augue lacus viverra vitae. Sit amet cursus sit amet dictum sit amet. Pulvinar mattis nunc sed blandit libero volutpat sed cras ornare. Scelerisque felis imperdiet proin fermentum leo vel orci. Volutpat est velit egestas dui id ornare arcu odio ut. Semper feugiat nibh sed pulvinar. Adijscing at in tellus integer feugiat scelerisque varius. Uma et pharetra pharetra massa. Erat pellentesque adipiscing commodo elit at. Tortor aliquam nulla facilisi cras fermentum. Amet aliquam id diam mascenas uttricies. Consequat id porta nibh venenats cras sed felis eget velit. Gravida arcu ac tortor dignissim convallis aeneen et tortor aliquam tu portitor leo

### www.irba.co.z

Phisical Building 2, Greenstone HII Office Park, Emerald Boulevard, Modderfortein Postal PO Box 8237 Greenstone 1616 Johannesburg South Africa Tell 887 940 8800 - Fax 687 940 8873 - Email boardijlyrbaco.za a diam sollicitudin. Urna duis convallis convallis tellus id interdum. Aliquet sagittis id consectetur purus ut. Pharetra pharetra massa massa ultricies. Pretium vulputate sapien nec sagittis aliquam malesuada. Imperdiet nulla malesuada pellentesque elit eget gravida. Sed lectus vestibulum mattis ullamcorper veitit sed ullamcorper morbi tincidunt. Tellus orci ac auctor augue.

Non blandit massa enim nec dui nunc mattis. Sociis natoque penatibus et magnis dis parturient montes nascetur ridiculus. Sit amet facilisis magna etiam tempor. Non nisi est sit amet facilisis magna etiam. Egestas quis ipsum suspendisse ultrices. Omare lectus sit amet est placerat in egestas erat imperdiet. Accumsan in nisl nisi scelerisque eu ultrices. Nulla at volutpat diam ut venenatis. Morbi tristique senectus et netus. Vitae nunc sed velit dignissim. Amet nisl purus in mollis nunc sed id semper.

Gravida arcu ac tortor dignissim. Enim sit amet venenatis urna cursus eget nunc. Pellentesque eu tincidunt tortor aliquam nulla facilisi cras fermentum odio. Mauris in aliquam sem fringilla ut morbi tincidunt augue interdum. Purus faucibus omare suspendisse sed nisi lacus sed. Sed viverra tellus in hac habitasse platea. Quis enim lobortis scelerisque fermentum dui faucibus in. Vestibulum sed arcu non odio euismod lacinia at quis risus. Lobortis feuglat vivamus at augue eget. Auctor augue mauris augue neque gravida in fermentum et. Ullamcorper eget nulla facilisi etiam dignissim diam quis enim lobortis. Eget mi proin sed libero enim. Massa sapien faucibus et molestie ac feugiat. Viverra aliquet eget sit amet tellus cras adipiscing. Enim neque volutpat ac tincidunt vitae semper. Pretium fusce id velit ut. Et odio pellentesque diam volutpat commodo sed egestas egestas. Vivamus at augue eget arcu dictum.

a diam sollicitudin. Urna duis convallis convallis tellus id interdum. Aliquet sagittis id consectetur purus ut. Pharetra pharetra massa massa ultricies. Pretium vulputate sapien nec sagittis aliquam malesuada. Imperdiet nulla malesuada pellentesque elit eget gravida. Sed lectus vestibulum mattis ullamcorper veitit sed ullamcorper morbi tincidunt. Tellus orci ac auctor augue.

Non blandit massa enim nec dui nunc mattis. Sociis natoque penatibus et magnis dis parturient montes nascetur ridiculus. Sit amet facilisis magna etiam tempor. Non nisi est sit amet facilisis magna etiam. Egestas quis ipsum suspendisse ultrices. Omare lectus sit amet est palcerat in egestas erat imperdiet. Accumsan in nisl nisi scelerisque eu ultrices. Nulla at volutpat diam ut venenatis. Morbi tristique senectus et netus. Vitae nunc sed velit dignissim. Amet nisl purus in mollis nunc sed id semper.

Gravida arcu ac tortor dignissim. Enim sit amet venenatis urna cursus eget nunc. Pellentesque eu tincidunt tortor aliquam nulla facilisi cras fermentum odio. Mauris in aliquam sem fringilla ut morbi tincidunt augue interdum. Purus faucibus omare suspendisse sed nisi lacus sed. Sed viverra tellus in hac habitasse platea. Quis enim lobortis scelerisque fermentum dui faucibus in. Vestibulum sed arcu non odio euismod lacinia at quis risus. Lobortis feugiat vivamus at augue eget. Auctor augue mauris augue neque gravida in fermentum et. Ullamcorper eget nulla facilisi etiam dignissim diam quis enim lobortis. Eget mi proin sed libero enim. Massa sapien faucibus et molestie ac feugiat. Viverra aliquet eget sit amet tellus cras adipiscing. Enim neque volutipat ac tincidunt vitae semper. Pretium fusce id velit ut. Et odio pellentesque diam volutpat commodo sed egestas egestas. Vivamus at auque eget arcu dictum.


a diam sollicitudin. Urna duis convallis convallis tellus id interdum. Aliquet sagittis id consectetur purus ut. Pharetra pharetra massa massa ultricies. Pretium vulputate sapien nec sagittis aliquam malesuada. Imperdiet nulla malesuada pellentesque elit eget gravida.

Page 2 of 2

The font for all MS Word documents is Arial Nova. The basic body size is 11pt, all in black. Basic margin settings in MS Word are as follows: Top: 1.72 cm

Bottom: 33,3cm Left & Right: 1,9cm


- This is the heading area with the banner behind the text. The type should be Arial Nova Bold, 11pt, white and all uppercase.
- This is the sub-heading. Font is Arial Nova Bold, 11pt and black.
- This represents numbered lists. The tab between the number and copy is 6mm; the line spacing is 1,5 lines, and spacing after is 12pt.
- The body text is Arial Nova Regular, 11pt, and black. The line spacing is *multiple* at 1,15 and spacing after is 6pt. Paragraph alignment is fully justified.
- The title of the document is always rightaligned, situated above the header banner, bottom-aligned with the IRBA logo's tagline. It is written in IRBA Red, uppercase in Arial Nova Light, 24pts.
- This is the footer. It's the same footer as explained on **page 44**, except that the font is now Arial Nova Regular, 6.5pt size.



The second page, and any follow-on page has a different layout. The header and footer is excluded, with the exception of page numbers.

1

The page number starts on the second page. It is Arial Nova Regular, 6pt and black. The page numbers are written out as *Page # of #*.



Slide deck covers use the IRBA Curved Square as a holding element for the title. The IRBA Curved Square is always aligned to the right against the right hand page margin. The logo and title are centre aligned to height of the page.

The slide deck cover allows for a strip between the logo and IRBA Curved Square. This strip is optional, it can be left blank. If the strip is employed, it may only display a fully cropped image as seen in Example 1 and 2 or one of the IRBA patterns as seen in Example 3 and 4.





EXAMPLE 2



EXAMPLE (3

Cae nemsi non sectatum
La sum et prest de voluptiae ped qui
Quia consed explibe rrorepe nam

EXAMPLE 4

Calculations in the slide deck set are based on the Y-formula:

1y = 1/24 of the page height.



Body copy for all variants of inner slides must always be 80% black. First generation headings must be 100% IRBA Purple. Discretion between IRBA Purple and IRBA Orange can be used on lower generations. Secondary colours may also be used for lower generation headings. All copy in the content zone must be from the Gotham font. BrutalTypeW000 can only be used for the title.

Bullet points are to remain 100% IRBA Orange. First generation bullet points must always be square shaped. Font sizes for headings and copy vary from one slide deck to another, but sizes must be consistent throughout a single presentation. No more than six bullet points may appear on a slide.

Sizes for images, graphics and diagrams may very, but must always be placed on the left of the copy.


Page numbers are always 100% IRBA Orange.



Cae nemsi non sectatum

La sum et prest de voluptiae ped quiQuia cons








Plic te etur saniatu ribus, vendaeri

**HENIENIM INCIAE LISTCORIA** 

- Alitae etur aut hitio tendiorem
- Evelectat pa cor aut voluptas sin excearia nus corupta







IRBA CORPORATE IDENTITY MANUAL

VERSION 3.0
APRIL 2024

For a less formal look, this display shows the Inner Slide: Pattern Variant of inner slides for a slide deck. The substantial difference from the standard inner slide option is that the strip at the top features an IRBA pattern. The IRBA logo is placed in a holding element which can be any one of the lighter shades of the colour twins to match the inside of the pattern. Any of the IRBA Patterns can be used.

If this variant is employed, it is essential that all inner slides maintain the same colour scheme for consistency. Headings, bullet points and page numbers should follow the chosen colour scheme.





Aside from the measurements around the logo, the measurements for the Inner Slide: Pattern Variant are the same as the Inner Slide: Standard Variant.



This display shows the Inner Slide: Title Variant of inner slides for a slide deck. This variant is almost identical to the Inner Slide: Pattern Variant, but in the instance the pattern is replaced by the title and divider line (the same as seen in Inner Slide: Standard Variant). The Inner Slide: Title Variant allows for the use of the secondary colours in the colour twin schemes.

If this variant is employed, it is essential that all inner slides maintain the same colour scheme for consistency. Headings, bullet points and page numbers should follow the chosen colour scheme.



Cae nemsi non sectatum



## HENIENIM INCIAE LISTCORIA

- Vel ium faccull isinumg uident, untest, commollabor sant as
- Sin cusam ulpa volor autatur, tora voluptat et eostem inctat lautae.
- Dolore dolor autem dolupturibus idemos idelia
- Plic te etur saniatu ribus, vendaeri
- Alitae etur aut hitio tendiorem
- Evelectat pa cor aut voluptas sin excearia nus corupta



Cae nemsi non sectatum



### HENIENIM INCIAE LISTCORIA

- Vel ium faccull isinumq uident, untest, commollabor sant as
- Sin cusam ulpa volor autatur, tora voluptat et eostem inctat lautae.
- Dolore dolor autem dolupturibus idemos idelia
- Plic te etur saniatu ribus, vendaeri
- Alitae etur aut hitio tendiorem
- Evelectat pa cor aut voluptas sin excearia nus corupta

Although the orientation is portrait, the design of pullup banners deviates from the 'PORTRAIT GRID' due to their significantly narrow format. The design options are however relatively flexible, provided that the top and bottom branding zones are strictly applied. The logo can be placed at the top or bottom.










Pull-up banners are divided into four equal parts vertically. It is recommended that designs adhere to this grid for consistency. However, the top and bottom branding zones are strictly 1/4 of the page height. The background of the branding zones can be solid white or 100% IRBA Purple in the event using the full colour reverse logo. The page margin is 1/40 of the page height around all four edges. Top and bottom page margins may need to increase to accommodate bleed and clearance as manufacturer specifications vary.



IRBA CORPORATE IDENTITY MANUAL VERSION 3.0 In the event of pull-up banners requiring the RA logo, the height of logotype of the RA logo must be equivalent to the height of the logotype of the IRBA logo as demonstrated in the guideline on the previous page. The RA logo is then vertically centered to height of branding zone. All other guidelines remain the same as on the previous page.





**A4 DOUBLE-PAGE SPREAD FULL COLOUR** 

This is a full colour example of an A4 doublepage spread. Note that the design of headings and pagination in this example are merely a guide. However, the design body copy and margins must always be as displayed in this example.

Mosteceped modiciam nobis

Ut uternau di liberare micro an inserer ibusiam van recepta di deligiore della de

IRBA CORPORATE IDENTITY MANUAL

An A4 double-page spread must always be in two coloumns with a 9mm gutter. Margins are as follows:

**Top:** 30mm Bottom: 30mm Outside: 20mm Inside: 20mm

Specifications for body copy on an A4

document are always: Font: Gotham Light Size: 9 points


**Leading:** 12 points (1.5 spacing is also

acceptable). Kearning: 0

Colour: OC OM OY 80K (applies to a white background. If used on other colour backgrounds discretion can be applied) Alignment: Justified left and right

Treatment of headings and sub-headings is optional as long as it is according to the guidelines of this CI manual.

- This area represents the **No Type Zone**. No type may appear within this zone. Graphics, images and shapes may appear here, but no type. Page numbering in pagination design must also be clear of this zone.
- 1st generation bullets must always be square. Size and colour is optional.



Although the orientation is portrait, the design of DL brochures deviates from the 'PORTRAIT GRID' due to their significantly narrow format. The design options are however relatively flexible, provided that the top and bottom branding zones are strictly applied. The logo can be placed at the top or bottom.









Like pull-up banners, the cover for brochures is also divided into four equal parts vertically. It is recommended that designs adhere to this grid for consistency. However, the top and bottom branding zones are strictly 1/4 of the page height. The background of the branding zones can be solid white or 100% IRBA Purple in the event of using the full colour reverse logo. The page margin is 5mm around all four edges.





IRBA CORPORATE IDENTITY MANUAL VERSION 3.0

This is an example of how the inside of an A4 fold to DL brochure could look. This is based on the inside of a U-fold, but a Z-fold is also acceptable. Note that this design is merely a guide, but the rules around margins must be applied.





- Ria quibus sundi dus
- Ad quae ihitas aut
- Taquae peribus audit



## Eum experiam maionsendae

Ut lis rerum fugia quas sum qui aditata ssimend aectore pudipidus volupti oditate nimi, inum quia conseguia venis net aut inciis si conecum harum lab inidel magnis quodio. Ut dolorepta inihitati cullabo rporpor escipsus.

Sequibus, sum qui voloritatus, tectatumqui daecae excerum es dolenih illigenis et utatibus doluptatio. Pore mi, iliquis earum aut incienda dissimagnis nam sim il ipsant mod que num untur sin comnimus.

# Venient quunt voluptatur

Xeriae niamusdae conest quam, core nus dollaccae ea ventiure derumque earibus aci qui con comnisim et volum et, ut ellaut odigenet audit fuga. Nem et reium quid magniminci quod qui officia qui dolupidis magnis atum volupta derum eatum voluptat doluptas explibus veliquatus et occus dissima gnatium, ad qui doles nobit aceat porpor mollorum quas ium se moluptatem repti que voluptur auditature labo.

Et landanda ad molut odis nihit arum harciumquia dolum estionsequia volore dolorrovit et volorendit, nis aut officiisque res modipitium eos is volum et enimil moloriatet pre neculpa ribearchil im inctas reserspide eicilit porrorerit et ad mos sunt laborehent am



In the event of DL brochures requiring the RA logo, the height of logotype of the RA logo must be equivalent to the height of the logotype of the IRBA logo as demonstrated in the guideline on the previous page. The RA logo is then vertically centered to height of branding zone. All other guidelines remain the same as on the previous page.







IRBA CORPORATE IDENTITY MANUAL

When designing an RA brochure, it is recommended that the IRBA orange be more prevalent in the design.



ifficae nonet atiberio beraece rspiducius etur liquatus ipsam di dolores abore ommo im volupta conseque voluptatem quam, ute ped um, con perumquis vid eum, essimusant secab jasum initi cus, occus porit quas sin consectaes et rem harum dolupiet volendi pendend anduntor a quia si bea aligenihiti juia volum volento volorrum fugitae culpa untus, inihi ea plandigsum quiatiore porumUgitectionsed que volupta tiorumq

- A Flunt voluptatur
- B Ria quibus sundi dus
- C Ad quae ihitas aut
- Taquae peribus audit



### Eum experiam maionsendae


Ut lis rerum fugia quas sum qui aditata ssimend aectore pudipidus volupti oditate nimi, inum quia consequia venis net hillautatur? Pel est quam dolupta spicimus aut inciis si conecum harum lab ipidel magnis quodio. Ut dolorepta inihitati cullabo rporpor escipsus.

Sequibus, sum qui voloritatus, tectatumqui corit porem erio. Ed ut que nullabo restiist voluptiumque consenderem erum reicium daecae excerum es dolenih illigenis et ut atibus doluptatio. Pore mi, iliquis earum volorporum, aut di blatus aute nimpelique nihil is nus eum liqui ipis dolupta sperum et liqui aut incienda dissimagnis nam sim il ipsant mod que num untur sin comnimus.

# Venient quunt voluptatur

keriae niamusdae conest quam, core nus lollacace ae varthure deurmque earbus ici qui con comnisim et volum et, ut ellaut digenet audit fuga. Nem et reium quid nagnimici quod qui officia qui dobujelis nagnis atum volupta derum eatum voluptat loluptas expibius veilquatus et occus dissima inatium, ad qui doles nobit aceat porpor nollorum quas ium se moluptatem repti que oluptur auditature labo.


Et landanda ad molut odis nihit arum narciumquia dolum estionsequia volore dolorrovit et volorendit, riis aut officiisque res modipitium eos is volum et enimil moloriatet ore neculpa ribearchii im inctas reserspide civilit coercepti et de deno qual blacepta con




The inside of an A4 fold to DL brochure will invariably allow two to three panels displayed side-by-side, depending on the type of fold selected (i.e. Z-fold or U-fold). Essentially, each panel is 210mm x 99mm portrait with a 9mm margin all around. This display indicates three such panels side-by-side creating an inner margin of 18mm.



This area represents the **No Type Zone**. No type may appear within this zone. Graphics, images and shapes may appear here, but no type. If the design warrants it, type may traverse the inner margins.




IRBA CORPORATE IDENTITY MANUAL **VERSION 3.0**  The webpage will commence by featuring a carousel of images and highlights designed to convey IRBA's intended message to the audience. Beneath the carousel, you will find the primary section that IRBA wishes to emphasise. The top navigation menu will facilitate easy navigation to various sections of the website.



IRBA CORPORATE IDENTITY MANUAL

VERSION 3.0
63

The lower gray panel showcases the most recent updates and releases from IRBA, with regular updates featuring pertinent information. The purple panel at the bottom will house IRBA's corporate details.



IRBA CORPORATE IDENTITY MANUAL VERSION 3.0

← SPACE: